

OCT. 18. 2004 8:49AM

VARIAN, INC.

RECEIVED  
CENTRAL FAX CENTER

OCT 18 2004

NO. 9261 P. 5

DOCKET NO.: 03-05 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Haner *et al.*

Serial No.: 10/658,580


Filed: September 9, 2003

For: RADIALLY-COMPACT NMR FLOW  
CELL ASSEMBLIES AND  
METHODS

Examiner: D. Vargas

Art Unit: 2859

I, Debbie Kus, hereby certify that on October 18, 2004, this  
correspondence is being transmitted by facsimile to 1.703.872.9306 at  
the US Patent and Trademark Office.

  
Signature

  
Date Signed

Commissioner for Patents  
Centralized Facsimile No. 1.703.872.9306

AMENDMENT

Sir:

Amendment to correct error in the claims is proposed to aid in examination on the merits.  
Please amend the claims as noted below. The status of all claims is noted per current practice.  
This amendment is filed concurrently with a "Response to Requirement for Election of Species".

L:\user\debbie\patent\files\03\doctet\03-05\02-05\amend.doc

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**